

Environmental Product Declaration



In accordance with ISO 14025:2006 and EN 15804:2012+A2:2019/AC:2021 for:

NOVATOP OPEN

from

AGROP NOVA a.s.

NOVATOP 

Programme:

Programme operator:

EPD registration number:

Publication date:

Revision date:

Valid until:

The International EPD® System, www.environdec.com

EPD International AB

S-P-11848

2023-12-14

2024-08-21

2028-12-14

An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at www.environdec.com



General information

Programme information

Programme:	The International EPD® System
Address:	EPD International AB Box 210 60 SE-100 31 Stockholm Sweden
Website:	www.environdec.com
E-mail:	info@environdec.com

Accountabilities for PCR, LCA and independent, third-party verification

Product Category Rules (PCR)

CEN standard EN 158041+A2 serves as the Core Product Category Rules (PCR)

Product Category Rules (PCR): PCR 2019:14 Construction products (EN 15804:A2) (1.3.1)

PCR review was conducted by: IVL Swedish Environmental Research Institute Secretariat of the International EPD® System

Life Cycle Assessment (LCA)

LCA accountability:
Mgr. Barbora Vlasata,
UCEEB CTU in Prague
www.uceeb.cz



**UNIVERZITNÍ
CENTRUM
ENERGETICKY
EFEKTIVNÍCH BUDOV
ČVUT V PRAZE**

Third-party verification

Independent third-party verification of the declaration and data, according to ISO 14025:2006, via:

EPD verification by accredited certification body

Third-party verification: TZÚS Praha, s.p. is an approved certification body accountable for the thirdparty verification

The certification body is accredited by: Czech Accreditation Institute

Procedure for follow-up of data during EPD validity involves third party verifier:

Yes No

The EPD owner has the sole ownership, liability, and responsibility for the EPD.

EPDs within the same product category but registered in different EPD programmes, or not compliant with EN 15804, may not be comparable. For two EPDs to be comparable, they must be based on the same PCR (including the same version number) or be based on fully-aligned PCRs or versions of PCRs; cover products with identical functions, technical performances and use (e.g. identical declared/functional units); have equivalent system boundaries and descriptions of data; apply equivalent data quality requirements, methods of data collection, and allocation methods; apply identical cut-off rules and impact assessment methods (including the same version of characterisation factors); have equivalent content declarations; and be valid at the time of comparison. For further information about comparability, see EN 15804 and ISO 14025.

Company information

Owner of the EPD: Agrop Nova a.s.,

Contact: Jan Sušeň
Sales manager
Jan.susen@agrop.cz
www.agrop.cz

Description of the organisation:

AGROP NOVA a.s. was established in 2001. Today it is one of the largest and most modern producers of large multilayer boards in Europe. The company's core product range is NOVATOP SWP multilayer boards and NOVATOP SYSTEM - a comprehensive and in many ways unique building system based on cross-laminated timber (CLT).

Product-related or management system-related certifications:

ISO 9001:2015

Name and location of production site(s):

Agrop Nova a.s., Lesnická 49, 798 03 Plumlov, the Czech Republic (headquarters and drying of wood)
Agrop Nova a.s., Ptenický Dvůrek 99, 798 43 Ptení, the Czech Republic (plant)

Product information

Product name and identification:

NOVATOP OPEN

Product description:

NOVATOP OPEN - The construction of the element consists of a load-bearing bottom multilayer plate (SWP), on which prisms (KVH, DUO, TRIO, BSH, I-beams) are glued in the basic axial distance of 625 mm, fulfilling the load-bearing function. Transverse stiffening ribs are inserted between the individual prisms, reinforcing around the perimeter and around the building openings. The dimensions and spacing of the prisms can be adjusted according to the project requirements. The connection of the boards and ribs is carried out by gluing and cold pressing. The cavities between the prisms can be fitted with thermal insulation. The element can be sealed with another sheet material - diffusion open (e.g. Fermacell, DHF, DFP, etc.).

UN CPC code:

314 Boards and panels

Geographical scope:

Europe, Global

For modules A1-A3, A4 and C1-C4 +D a European and Global scale has been considered due to the availability of data for waste scenarios.

LCA information

Functional unit / declared unit:

1 m³ of solid wood panel – mass 490 kg

Time representativeness:

< 10 years for background data;
< 2 years for manufacturer's data


Database(s) and LCA software used:

EcolInvent database v. 3.8;
SimaPro 9.4.0.2 software

Description of system boundaries:

Cradle to gate with options, modules C1–C4, module D and with optional modules (A1–A3 + C + D and additional modules). The additional modules may be one or more selected from A4–A5 and/or B1–B7

System diagram



More information:

The electricity used in the production processes of module A3 is purchased from an electricity supplier and is supported by a Guarantee of Origin- it is electricity from renewable energy sources. The share of renewable energy sources was modelled based on the Czech Republic's energy mix current in the reference period. Its climate impact is 0,255 kg CO₂ eq./kWh (using the GWP-GHG indicator). More info about production see www.novatop-system.com

Modules declared, geographical scope, share of specific data (in GWP-GHG results) and data variation (in GWP-GHG results):

	Product stage			Construction process stage					Use stage					End of life stage			Resource recovery stage
	Raw material supply	Transport	Manufacturing	Transport	Construction installation	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse-Recovery-Recycling potential
Module	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Modules declared	x	x	x	x									x	x	x	x	x
Geography	Global	Global	Global	Global									Global	Global	Global	Global	Global
Specific data used		>90%			-	-	-	-	-	-	-	-	-	-	-	-	-
Variation – products		0%			-	-	-	-	-	-	-	-	-	-	-	-	-
Variation – sites		0%			-	-	-	-	-	-	-	-	-	-	-	-	-

Content information

Product components	Weight, kg	Post-consumer material, weight-%	Biogenic material, weight-% and kg C/kg
Sawnwood	459	0	100 %/204
Additional inputs – glue and sealant	25	0	0
Additional inputs – fasteners wood	3	0	100 %
Additional inputs – fasteners iron	0,5	0	0
TOTAL	490	0	94 %/204
Packaging materials	Weight, kg	Weight-% (versus the product)	Weight biogenic carbon, kg C/kg
Packaging film LDPE	2	0	0
TOTAL	2	0	0

Results of the environmental performance indicators

Mandatory impact category indicators according to EN 15804

Results per functional or declared unit																
Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	3,06E+02	5,12E+01	ND	ND	ND	ND	ND	ND	ND	ND	5,26E-01	4,05E+00	3,73E-01	-1,34E+01	-9,12E+00
GWP-biogenic	kg CO ₂ eq.	-3,10E+03	1,21E-01	ND	ND	ND	ND	ND	ND	ND	ND	4,12E-04	9,71E-03	2,89E+03	2,14E+02	0,00E+00
GWP-luluc	kg CO ₂ eq.	2,65E+00	1,75E-02	ND	ND	ND	ND	ND	ND	ND	ND	4,15E-05	1,36E-03	2,94E-05	-1,27E-02	-8,17E-03
GWP-total	kg CO ₂ eq.	-2,79E+03	5,14E+01	ND	ND	ND	ND	ND	ND	ND	ND	5,27E-01	4,07E+00	2,89E+03	2,01E+02	-9,13E+00
ODP	kg CFC 11 eq.	2,00E+00	2,24E-01	ND	ND	ND	ND	ND	ND	ND	ND	3,27E-03	1,62E-02	2,48E-03	-7,00E-02	-5,07E-02
AP	mol H+ eq.	4,94E-05	1,16E-05	ND	ND	ND	ND	ND	ND	ND	ND	1,13E-07	9,21E-07	7,97E-08	-2,23E-06	-1,55E-06
EP-freshwater	kg P eq.	1,16E-01	3,42E-03	ND	ND	ND	ND	ND	ND	ND	ND	1,58E-05	2,72E-04	1,12E-05	-2,72E-03	-3,32E-03
EP-marine	kg N eq.	6,57E-01	6,72E-02	ND	ND	ND	ND	ND	ND	ND	ND	1,36E-03	4,97E-03	1,05E-03	-1,76E-02	-1,56E-02
EP-terrestrial	mol N eq.	7,18E+00	7,35E-01	ND	ND	ND	ND	ND	ND	ND	ND	1,49E-02	5,42E-02	1,15E-02	-2,05E-01	-1,64E-01
POCP	kg NMVOC eq.	2,24E+00	2,22E-01	ND	ND	ND	ND	ND	ND	ND	ND	4,18E-03	1,66E-02	3,24E-03	-6,12E-02	-4,66E-02
ADPminerals&metals*	kg Sb eq.	1,73E-03	1,83E-04	ND	ND	ND	ND	ND	ND	ND	ND	2,11E-07	1,46E-05	1,49E-07	-4,23E-05	-2,94E-05
ADP-fossil*	MJ	4,69E+03	7,73E+02	ND	ND	ND	ND	ND	ND	ND	ND	7,17E+00	6,13E+01	5,08E+00	-2,04E+02	-1,55E+02
WDP*	m ³	5,29E+01	2,19E+00	ND	ND	ND	ND	ND	ND	ND	ND	1,04E-02	1,74E-01	7,34E-03	-2,57E+00	-3,97E-01

Acronyms
 GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADPminerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

Additional mandatory and voluntary impact category indicators

Results per functional or declared unit																
Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-GHG ¹	kg CO ₂ eq.	3,09E+02	5,12E+01	ND	ND	ND	ND	ND	ND	ND	ND	5,27E-01	4,06E+00	3,73E-01	-1,34E+01	-9,13E+00
PM	Disease incidence	6,13E-05	3,52E-06	ND	ND	ND	ND	ND	ND	ND	ND	5,62E-08	2,81E-07	4,71E-08	-9,76E-07	-6,06E-07
IR	kBq U235 eq.	4,65E+01	4,03E+00	ND	ND	ND	ND	ND	ND	ND	ND	3,27E-02	3,20E-01	2,32E-02	-1,59E+00	-2,09E+00
ETP-fw	CTUe	8,33E+03	5,90E+02	ND	ND	ND	ND	ND	ND	ND	ND	4,10E+00	4,69E+01	2,90E+00	-2,00E+02	-1,09E+02
HTP-c	CTUh	4,62E-07	2,13E-08	ND	ND	ND	ND	ND	ND	ND	ND	7,08E-10	1,67E-09	6,04E-10	-4,94E-09	-6,76E-09
HTP-nc	CTUh	7,20E-06	5,97E-07	ND	ND	ND	ND	ND	ND	ND	ND	3,66E-09	4,76E-08	2,89E-09	1,18E-07	-1,13E-07
SQP	dimensionless	2,54E+05	5,28E+02	ND	ND	ND	ND	ND	ND	ND	ND	9,31E-01	4,22E+01	6,59E-01	-1,51E+02	-9,24E+01

¹ This indicator accounts for all greenhouse gases except biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. As such, the indicator is identical to GWP-total except that the CF for biogenic CO₂ is set to zero.

Resource use indicators

Results per functional or declared unit																
Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	3,64E+02	7,54E+00	ND	ND	ND	ND	ND	ND	ND	ND	2,80E-02	6,01E-01	1,99E-02	-8,17E+00	-9,02E+00
PERM	MJ	3,86E+04	2,82E+00	ND	ND	ND	ND	ND	ND	ND	ND	9,13E-03	2,25E-01	6,46E-03	-1,88E+00	-1,89E+00
PERT	MJ	3,89E+04	1,04E+01	ND	ND	ND	ND	ND	ND	ND	ND	3,72E-02	8,26E-01	2,63E-02	-1,01E+01	-1,09E+01
PENRE	MJ	4,69E+03	7,73E+02	ND	ND	ND	ND	ND	ND	ND	ND	7,17E+00	6,13E+01	5,08E+00	-2,04E+02	-1,55E+02
PENRM	MJ	3,86E+04	2,82E+00	ND	ND	ND	ND	ND	ND	ND	ND	9,13E-03	2,25E-01	6,46E-03	-1,88E+00	-1,89E+00
PENRT	MJ	4,33E+04	7,76E+02	ND	ND	ND	ND	ND	ND	ND	ND	7,18E+00	6,16E+01	5,09E+00	-2,06E+02	-1,57E+02
SM	kg	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
RSF	MJ	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
NRSF	MJ	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
FW	m ³	5,29E+01	2,19E+00	ND	ND	ND	ND	ND	ND	ND	ND	1,04E-02	1,74E-01	7,34E-03	-2,57E+00	-3,97E-01

Acronyms

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy re-sources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water

Waste indicators

Results per functional or declared unit																
Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	1,39E-02	2,00E-03	ND	ND	ND	ND	ND	ND	ND	ND	1,93E-05	1,60E-04	1,37E-05	-3,88E-04	-2,68E-04
Non-hazardous waste disposed	kg	1,43E+02	3,67E+01	ND	ND	ND	ND	ND	ND	ND	ND	8,82E-03	2,94E+00	6,25E-03	-6,95E+00	-6,16E+00
Radioactive waste disposed	kg	2,81E-02	5,30E-03	ND	ND	ND	ND	ND	ND	ND	ND	4,99E-05	4,20E-04	3,54E-05	-1,21E-03	-1,07E-03

Output flow indicators

Results per functional or declared unit																
Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
Material for recycling	kg	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	3,43E+02	0
Materials for energy recovery	kg	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
Exported energy, electricity	MJ	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
Exported energy, thermal	MJ	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0

Differences versus previous versions

In the revised version of the EPD, the balance in the environmental indicator of biogenic carbon has been revised in accordance with Annex 2 of the PCR.

References

ISO 14020:2000 Environmental labels and declarations — General principles, 2000-09

ISO 14025: EN ISO 14025:2006-11: Environmental labels and declarations - Type III environmental declarations — Principles and procedures

ISO, 14040:2006 Environmental management — Life cycle assessment — Principles and framework, 2006-07

ISO 14044:2006 Environmental management — Life cycle assessment — Requirements and guidelines, 2006-07

EN 15804+A2:2019 European Committee for Standardization: Sustainability of construction works

– Environmental product declarations – Core rules for the product category of construction products, 2019

General Programme Instructions of The International EPD[®] System. Version 4.0, 2021-03-29

Product Category Rules (PCR) document for Construction Products (PCR 2019:14 VERSION 1.3.1, 2022-11-01)

Ecoinvent: Ecoinvent Centre, www.Eco-invent.org version 3.8

SimaPro software 9.0.4.2, Pré Consultants



www.environdec.com